





BOX

The new generation of roller shades with cassette for indoor and outdoor installations.







B-BOX®

____**&**____

Contemporary elegance & design





Access to the interior of the box, for simple maintenance

Convenient access to the interior of the cassette, with no need to take it down, facilitating maintenance and cleaning.



Ceiling or wall installation

Easy indoor installation with the Bandalux clip system. Extra durable support available for outdoor installations and large dimensions.



Channel system options

Specific channels for each type of installation, which reduce the gap to the bare minimum.



Maximum stability in outdoor installations

Optional midway profiles that ensure the fabric's stability in the face of wind.





B-BOX DUO®

Privacy and darkness all in one shade



Double roller shade with cassette





Available cassette

136mm

Colors for cassette and components

- White RAL 9010
- Grey RAL 9006
- Brown RAL 8019
- Black RAL 9011
- Ivory clear RAL 1013
- Anthracite Grey RAL 7016



Maximum blackout effect

Cassette with hidden channels, which optimize the effect of the blackout fabric.



Double shade, combining a decorative fabric with fabric

Maximum comfort at any time of the day, as the user decides when he/she wants privacy or total darkness.



Self-supporting installation

Thanks to the cassette with selfsupporting channels, there is no need for installation supports.





Z-BOX®

— **6**, ———

Wind resistance and total darkness



Exclusive zipper system

Maximum firmness of the fabric, thanks to the zipper guided system.

When installed outdoors, this system is resistant to winds gusts of up to 90km/h.

Also available with insect screen fabric.








Total darkness

The only system that offers total darkness combined with fabrics from the blackout collection.



Energy saving

When installed outdoors and combined with the Polyscreen® fabric, this system can save up to 55% in air conditioning, while guaranteeing optimal visual and thermal comfort.



Self-supporting installation

Self-supporting cassette and channels, meaning that there is no need for installation supports.





O-BOX®


Smart design with high-precision finishes



Durability and precision


The roller shade with O-Box® cassette is ideal for outdoor installation, thanks to its durable, high-precision system and components.





Smart design

Ceiling- or wall-mount supports make it possible to overcome minor differences in size and installation.



Level-by-level installation

Two O-Box can be installed at different heights with only one support with stainless steel rod.



Guided system options

Optimal fabric fastening outdoors, thanks to the different channels and fastening system options.

Box Collection

	B-BOX®				
	Q55	B65	B8 <i>5</i>	B100	B136
Maximum width ①	180cm	280cm	300cm	360cm	540cm
Maximum height ①	280cm	400cm	580cm	600cm	700cm
Chain	V	V	V	V	V
Crank	V	V	V	V	V
Motor	V	V	V	V	V
Self-supporting	V	V	V	V	V
Cable guide	×	V	V	V	V
Rod guide	×	×	×	×	×
U-shaped guide	V	V	V	V	V
Blackout guide (interior)	V	V	V	V	V
ZIP Guide	×	×	×	×	×
Double drop 1 operating system	×	×	V	V	V
Double drop 2 operating systems	V	V	V	V	V
Midway profiles	×	V	V	V	V

These measurements are meant to serve as examples for the selection of the system. They have been calculated based on Black Out fabrics with an operating system allowing the largest size. For more detailed information, please check the manufacturing limits for each fabric in each chapter.



Technical specifications

B-BOX DUO®	Z-BOX®		O-BOX®	
B136	Z100	Z130	095	O130
360cm	300cm	560cm	300cm	520cm
400cm	300cm	400cm	400cm	600cm
V	×	×	V	×
X	×	×	V	V
V	V	V	V	V
V	V	V	V	V
X	×	×	V	V
X	×	×	V	V
V	×	×	V	V
V	×	×	×	×
X	V	V	×	×
X	V	V	×	×
V	V	V	×	×
×	×	×	V	V








Enjoy greater convenience, with the remote control and connectivity systems




Company certificates

Systems certificates









Motorize your system and benefit from greater energy savings, comfort and safety

Optimize energy efficiency, by programming the opening and closing times



Protect the systems from extreme weather conditions, using sensors



Fabrics certificates

























ESPAÑA · FRANCE · ITALIA · USA · BENELUX · PORTUGAL